

Refine Search

Search Results -

Term	Documents
BENT	836257
BENTS	1101
RADIALLY	904193
RADIALLIES	0
RADIALLYS	4
(10 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3
(L10 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Thursday, January 13, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L11</u>	L10 and (bent adj radially)	3	<u>L11</u>
<u>L10</u>	L9 and (magnetic adj resonance)	1028	<u>L10</u>
<u>L9</u>	L8 and parallel	10086	<u>L9</u>
<u>L8</u>	L7 and axis	14652	<u>L8</u>
<u>L7</u>	L6 and (rod or ring)	35139	<u>L7</u>
<u>L6</u>	((radio adj frequency) or (RF) adj Antenna)	170626	<u>L6</u>

DB=USPT; PLUR=YES; OP=ADJ

L5 US-6522140-B2.did. 1 L5

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L4 20020011843 2 L4

DB=USPT; PLUR=YES; OP=ADJ

L3 US-6781378-B2.did. 1 L3

L2 US-6781378-B2.did. 1 L2

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L1 20030178997 2 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
BENT	836257
BENTS	1101
RADIALLY	904193
RADIALLIES	0
RADIALLYS	4
(6 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	25
(L6 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	25

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 13, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L12</u>	L6 and (bent adj radially)	25	<u>L12</u>
<u>L11</u>	L10 and (bent adj radially)	3	<u>L11</u>
<u>L10</u>	L9 and (magnetic adj resonance)	1028	<u>L10</u>
<u>L9</u>	L8 and parallel	10086	<u>L9</u>
<u>L8</u>	L7 and axis	14652	<u>L8</u>
<u>L7</u>	L6 and (rod or ring)	35139	<u>L7</u>

<u>L6</u>	((radio adj frequency) or (RF) adj Antenna)	170626	<u>L6</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	US-6522140-B2.did.	1	<u>L5</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	20020011843	2	<u>L4</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L3</u>	US-6781378-B2.did.	1	<u>L3</u>
<u>L2</u>	US-6781378-B2.did.	1	<u>L2</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	20030178997	2	<u>L1</u>

END OF SEARCH HISTORY

ring spacing that at least one of the end rings exhibits from the antenna axis. When the antenna rods form an angle of inclination with the antenna axis, they have a rod spacing from the antenna axis at their end lying closer to the antenna axis that is smaller than an end ring spacing exhibited by the end ring that is connected to that rod end. In both version, rod spacing lies between 25 and 35 cm and is between 5 and 15 mm smaller than the end ring spacing.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Term	Documents
BENT	836257
BENTS	1101
RADIALLY	904193
RADIALLES	0
RADIALLYS	4
(10 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3
(L10 AND (BENT ADJ RADIALLY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)